

Safety Data Sheet 50025MSA

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Version: 1.0

Date of issue: 09/04/2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking **Product identifier** 1.1. Product form : Mixture

Product form	: Mixture
Product name	: Hydrogen Chloride (0.0001% - 0.9999%) in Nitrogen
MSA P/N	: 710210, 711080, 10028078, 10053747
1.2. Relevant identified uses of the substa	ance or mixture and uses advised against
Use of the substance/mixture	: Test gas/Calibration gas.
1.3. Details of the supplier of the safety d	ata sheet
Manufacturer: Calgaz, divison of Air Liquide 821 Chesapeake Drive Cambridge, MD 21613	
U.S. Supplier Mine Safety Appliances Company 100 Cranberry Woods Drive Cranberry Township Pennsylvania U.S.A. 16066	
1-800-MSA-2222	

www.msanet.com/prism

1.4. **Emergency telephone number**

Emergency number

: CHEMTREC: 1-800-424-9300 Internationally: 1-703-527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Compressed gas H280 Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)



Signal word (GHS-US) Hazard statements (GHS-US)

Precautionary	statements ((GHS-US)
---------------	--------------	----------

: Warning H280 - Contains gas under pressure; may explode if heated OSHA-H01 - May displace oxygen and cause rapid suffocation P202 - Do not handle until all safety precautions have been read and understood P271 - Use only outdoors or in a well-ventilated area P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P313 - Get medical advice/attention CGA-PG20 - Use only with equipment of compatible materials of construction CGA-PG10 - Use only with equipment rated for cylinder pressure CGA-PG05 - Use a back flow preventive device in the piping CGA-PG06 - Close valve after each use and when empty CGA-PG14 - Approach suspected leak area with caution CGA-PG21 - Open valve slowly CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F) P403 - Store in a well-ventilated place

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2.	Mixture

Name	Product identifier	%	Classification (GHS-US)
Nitrogen	(CAS No) 7727-37-9	99.0001 - 99.9999	Not classified
Hydrogen chloride	(CAS No) 7647-01-0	0.0001 - 0.9999	Skin Corr. 1A, H314

Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	: Adverse effects not expected from this product. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Adverse effects not expected from this product. If eye irritation develops, seek medical attention.
First-aid measures after ingestion	: Ingestion is not considered a potential route of exposure.
4.2. Most important symptoms and effect	s, both acute and delayed
Symptoms/injuries	: Adverse effects not expected from this product.
Symptoms/injuries after inhalation	: May displace oxygen and cause rapid suffocation. If you feel unwell, seek medical advice.
Symptoms/injuries after skin contact	: Adverse effects not expected from this product.
Symptoms/injuries after eye contact	: Adverse effects not expected from this product.
Symptoms/injuries after ingestion	: Ingestion is not considered a potential route of exposure.
Symptoms/injuries upon intravenous administration	: Not known.
Chronic symptoms	: Adverse effects not expected from this product.

4.3. Indication of any immediate medical attention and special treatment needed

If you feel unwell, seek medical advice. If breath	hing is difficult, give oxygen.
--	---------------------------------

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use water jet.
5.2. Special hazards arising from the sub	ostance or mixture
Fire hazard	: The product is not flammable.
Explosion hazard	: Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Reactivity	: Reacts with water to form corrosive acids. Corrosive vapors.
5.3. Advice for firefighters	
Firefighting instructions	: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.
Protection during firefighting	: Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Do not enter fire area without proper protective equipment, including respiratory protection.
Special protective equipment for fire fighters	: Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters.

SECTIO	SECTION 6: Accidental release measures		
6.1.	Personal precautions, protective equ	ipment and emergency procedures	
General r	neasures	: Ensure adequate ventilation.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1. For non-emergency	personnel		
Protective equipment	:	Wear protective equipment consistent	with the site emergency plan.
Emergency procedures	:		t safe route. Close doors and windows of adjacent rk the danger area. Seal off low-lying areas. Keep
6.1.2. For emergency resp	onders		
Protective equipment	:	Standard protective clothing and equip fighters. Equip cleanup crew with prop	oment (e.g., Self Contained Breathing Apparatus) for fire er protection.
Emergency procedures	:	Evacuate and limit access. Ventilate a	rea.
6.2. Environmental preca	autions		
Try to stop release if safe to do	so.		
6.3. Methods and materia	al for containment	and cleaning up	
For containment	:	Try to stop release if safe to do so.	
Methods for cleaning up	:	Dispose of this material and its contain	ner in accordance with local regulations.
6.4. Reference to other s	ections		
See also Sections 8 and 13.			
SECTION 7: Handling ar	nd storage		
7.1. Precautions for safe			
Additional hazards when proces	•	Pressurized container: Do not pierce ouse. Use equipment rated for cylinder	or burn, even after use. Do not pierce or burn, even after pressure.
Precautions for safe handling	:	Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area.	
Safe handling of the gas recepta	acle :		e; do not drag, roll, slide or drop. Do not remove or for the identification of the cylinder contents.
Hygiene measures	:	Do not eat, drink or smoke when using	g this product.
7.2. Conditions for safe s	storage, including	any incompatibilities	
Technical measures	:	Comply with applicable regulations.	
Storage conditions	:		ding 52°C (125°F). Protect cylinder from physical not in use. Store in well ventilated area.
Incompatible products	:	None known.	
Incompatible materials	:	Reducing agents. Bases or caustic materials.	
Storage area	:	Keep out of direct sunlight. Store away	y from heat. Store in a well-ventilated place.
7.3. Specific end use(s)			
Test gas/Calibration gas.			
SECTION 8: Exposure c	ontrols/persor	nal protection	
8.1. Control parameters		·	
Hydrogen Chloride (0.0001%	- 0.9999%) in Nitr	ogen	
ACGIH	Not applicable	<u> </u>	
OSHA	Not applicable		
Nitrogen (7727-37-9)			
ACGIH	Not applicable		
OSHA	Not applicable		
Hydrogen chloride (7647-01-	0)		
ACGIH	ACGIH Ceiling (p	pm)	2 ppm
OSHA	OSHA PEL (Ceili	ng) (mg/m³)	7 mg/m³

OSHA

OSHA PEL (Ceiling) (ppm)

5 ppm

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Exposure controls	
Appropriate engineering controls	Ensure exposure is below occupational exposure limits. Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly checked for leakages. Oxygen detectors should be used when asphyxiating gases may be released. Consider work permit system e.g. for maintenance activities.
Hand protection	: Wear working gloves when handling gas containers. 29CFR 1910.138: Hand Protection.
Eye protection	: Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing, e.g lab coats, coveralls or flame resistant clothing.
Respiratory protection	: None necessary during normal and routine operations. See sections 5 & 6.
Thermal hazard protection	: None necessary during normal and routine operations.
Environmental exposure controls	 Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for specific methods for waste gas treatment.
Other information	: Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

SECTION 9. Physical and chemical properties			
9.1. Information on basic physical and chemical properties			
Physical state	: Gas		
Appearance	: Clear, colorless gas.		
Molecular mass	: Not applicable for gas-mixtures.		
Color	: Colorless		
Odor	: Irritating/pungent odour		
Odor threshold	: No data available		
рН	: Not applicable for gas-mixtures.		
Relative evaporation rate (butyl acetate=1)	: No data available		
Relative evaporation rate (ether=1)	: Not applicable for gas-mixtures.		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: No data available		
Flash point	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Flammability (solid, gas)	: Not flammable - not combustible		
Vapor pressure	: Not applicable.		
Relative vapor density at 20 °C	: No data available		
Relative density	: No data available		
Relative gas density	: Lighter or similar to air.		
Solubility	: Water: Solubility in water of component(s) of the mixture : •: 720000 mg/l •: 20 mg/l		
Log Pow	: Not applicable for gas-mixtures.		
Log Kow	: Not applicable for gas-mixtures.		
Viscosity, kinematic	: Not applicable.		
Viscosity, dynamic	: Not applicable.		
Explosive properties	: Not applicable - not flammable.		
Oxidizing properties	: None.		
Explosive limits	: Not applicable - not flammable		
9.2. Other information			
Additional information	: None.		

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with water to form corrosive acids. Corrosive vapors.

10.2. Chemical stability

Stable under normal conditions.

Safety Data Sheet

ccording to Federal Register / Vol. 77, No. 58 / Monday	, March 26, 2012 / Rules and Regulations
10.3. Possibility of hazardous reactions	
May react violently with reducing agents.	
10.4. Conditions to avoid	
Moisture.	
10.5. Incompatible materials	
Reducing agents. Bases or caustic materials.	
10.6. Hazardous decomposition products	
Under normal conditions of storage and use haz	ardous decomposition products should not be produced.
SECTION 11: Toxicological informat	ion
11.1. Information on toxicological effects	A
Acute toxicity	: Not classified
Nitrogen (7727-37-9)	
LC50 inhalation rat (ppm)	820000 ppm/4h
Hydrogen chloride (7647-01-0)	
LD50 oral rat	700 mg/kg
LD50 dermal rabbit	> 5010 mg/kg
LC50 inhalation rat (ppm)	1560 ppm/4h
Skin corrosion/irritation	: Not classified
	pH: Not applicable for gas-mixtures.
Serious eye damage/irritation	: Not classified
	pH: Not applicable for gas-mixtures.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Hydrogen chloride (7647-01-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May displace oxygen and cause rapid suffocation. If you feel unwell, seek medical advice.
Symptoms/injuries after skin contact	: Adverse effects not expected from this product.
Symptoms/injuries after eye contact	: Adverse effects not expected from this product.
Symptoms/injuries after ingestion	: Ingestion is not considered a potential route of exposure.
Symptoms/injuries upon intravenous administration	: Not known.
Chronic aumotomo	A diverse affects and our acted from this and dust

Chronic symptoms

: Adverse effects not expected from this product.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

: Classification criteria are not met.

2.2. Persistence and degradability	
Hydrogen Chloride (0.0001% - 0.9999%) in Nitrogen	
Persistence and degradability	No data available.
Nitrogen (7727-37-9)	
Persistence and degradability	No ecological damage caused by this product.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hydrogen chloride (7647-01-0)		
Persistence and degradability Not applicable for inorganic gases.		
12.3. Bioaccumulative potential		
Hydrogen Chloride (0.0001% - 0.9999%) in N	-	
Log Pow	Not applicable for gas-mixtures.	
Log Kow	Not applicable for gas-mixtures.	
Bioaccumulative potential	No data available.	
Nitrogen (7727-37-9)		
Log Pow	Not applicable for inorganic gases.	
Bioaccumulative potential	No ecological damage caused by this product.	
Hydrogen chloride (7647-01-0)		
Log Pow	Not applicable for inorganic gases.	
Bioaccumulative potential	No data available.	
12.4. Mobility in soil		
Hydrogen Chloride (0.0001% - 0.9999%) in N	itrogen	
Mobility in soil	No data available.	
Nitrogen (7727-37-9)		
Ecology - soil	No ecological damage caused by this product.	
Hydrogen chloride (7647-01-0)		
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.	
Loology Joh		
12.5. Other adverse effects		
Effect on ozone layer	: None.	
Effect on the global warming	: No known ecological damage caused by this product.	
SECTION 13: Disposal consideration		
· · · · · · · · · · · · · · · · · · ·	5	
13.1. Waste treatment methods		
Naste treatment methods	: Contact supplier if guidance is required. Do not discharge into any place where its accumulation could be dangerous. Ensure that the emission levels from local regulations or operating permits are not exceeded.	
Naste disposal recommendations	: Refer to the CGA Pamphlet P-63 "Disposal of Gases" available at www.cganet.com for more guidance on suitable disposal methods.	
SECTION 14: Transport information		
n accordance with DOT		
Transport document description	· LIN1956 Compressed ass. n.o.s. (Hydrogen chloride, Nitrogen)	
	: UN1956 Compressed gas, n.o.s. (Hydrogen chloride, Nitrogen)	
JN-No.(DOT) Proper Shipping Name (DOT)	: UN1956	
Proper Shipping Name (DOT) Hazard labels (DOT)	 Compressed gas, n.o.s. 2.2 - Non-flammable gas 	
DOT Symbols	: G - Identifies PSN requiring a technical name	
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306;307	
	: 302;305	
DOT Packaging Bulk (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail	: 314;315	
DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 314;315 : 75 kg	

: 2

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Additional information	
Other information	: No supplementary information available.
Special transport precautions	: Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers: - Ensure there is adequate ventilation Ensure that containers are firmly secured Ensure cylinder valve is closed and not leaking Ensure valve outlet cap nut or plug (where provided) is correctly fitted Ensure valve protection device (where provided) is correctly fitted.
ADR	
Transport document description	: UN 1956, 2.2
Class (ADR)	: 2 - Gases
Danger labels (ADR)	: 2.2 - Non-flammable compressed gas
Transport by sea	
UN-No. (IMDG)	: 1956
Proper Shipping Name (IMDG)	: COMPRESSED GAS, N.O.S.
Class (IMDG)	: 2.2 - Non-flammable, non-toxic gases
<mark>Air transport</mark> UN-No.(IATA) Proper Shipping Name (IATA)	: 1956 : COMPRESSED GAS, N.O.S.

UN-NO.(IATA)	
Proper Shipping Name (IATA)	
Class (IATA)	

SECTION 15: Regul	atory information
--------------------------	-------------------

15.1 US Fe	deral regulati	ons

Nitrogen (7727-37-9)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Hydrogen chloride (7647-01-0)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on the United States SARA Section 302 Listed on United States SARA Section 313		
SARA Section 302 Threshold Planning Quantity (TPQ)	500 (gas only)	
SARA Section 313 - Emission Reporting	1.0 % (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size)	

15.2. International regulations

CANADA

Nitrogen (7727-37-9)	
Listed on the Canadian DSL (Domestic Sustances List)	
WHMIS Classification	Class A - Compressed Gas
Hydrogen chloride (7647-01-0)	
Listed on the Canadian DSL (Domestic Sustances List)	
WHMIS Classification	Class A - Compressed Gas Class D Division 1 Subdivision A - Very toxic material causing immediate and serious toxic effects Class E - Corrosive Material

EU-Regulations

Nitrogen (7727-37-9)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hydrogen chloride (7647-01-0)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

15.2.2. National regulations

Nitrogen (7727-37-9)

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Hydrogen chloride (7647-01-0)

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Korean ECL (Existing Chemicals List) Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Japanese Poisonous and Deleterious Substances Control Law Listed on the Canadian IDL (Ingredient Disclosure List)

15.3. US State regulations

Nitrogen (7727-37-9)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Hydrogen chloride (7647-01-0)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

SECTION 16: Other information	
Indication of changes	: Revised safety data sheet in accordance with OSHA final rule on GHS implementation promulgated March 26, 2012.
Other information	: This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product.

Full text of H-phrases:

Compressed gas	Gases under pressure Compressed gas
Skin Corr. 1A	Skin corrosion/irritation Category 1A
H280	Contains gas under pressure; may explode if heated
H314	Causes severe skin burns and eye damage

SDS US (GHS HazCom 2012)

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this gas mixture. To the best of Calgaz's knowledge, the information contained herein is reliable and accurate as of this date; however, accruacy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this gas mixture is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.