



## Safety Data Sheet 50116MSA

### Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

#### 1.1 Product identifier

**Product Name** . Nitrogen Dioxide 0.001-0.022%, Carbon Monoxide 0.0005-1.0%, Methane 0.0-2.5%, Oxygen 0.0-23.5%  
10058036, 10058034, 10058171, 10058172, 10150597, 10150598, 10153803,  
**MSA P/N** . 10153804, 10153805

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified use(s)** . Calibration of Monitoring and Research Equipment

#### 1.3 Details of the supplier of the safety data sheet

<b>Manufacturer</b>	. Air Liquide	<b>U.S. Supplier</b> Mine Safety Appliances Company
	2700 Post Oak Blvd. Houston, TX 77056 United States www.us.airliquide.com sds@airliquide.com	Cranberry Township Pennsylvania U.S.A. 16066  1-800-MSA-2222 www.msanet.com/prism
<b>Telephone (Technical)</b>	. 713-896-2896	
<b>Telephone (Technical)</b>	. 800-819-1704	

#### 1.4 Emergency telephone number

**Manufacturer** . 800-424-9300 - CHEMTREC  
**Manufacturer** . +1 703-527-3887 - Outside United States

### Section 2: Hazards Identification

#### EU/EEC

According to Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010] According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

#### 2.1 Classification of the substance or mixture

<b>CLP</b>	. Compressed Gas - H280 Reproductive Toxicity 1A - H360D Specific Target Organ Toxicity Repeated Exposure 2 - H373
<b>DSD/DPD</b>	. Harmful (Xn) Substances Toxic To Reproduction - Category 1 R20, R48/20, R61

#### 2.2 Label Elements

CLP

**DANGER**





- Hazard statements** • H280 - Contains gas under pressure; may explode if heated  
H360D - May damage the unborn child.  
H373 - May cause damage to organs through prolonged or repeated exposure.

**Precautionary statements**

- Prevention** • P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood. P260 - Do not breathe gas.  
P281 - Use personal protective equipment as required.

- Response** • P314 - Get medical advice/attention if you feel unwell.  
P308+P313 - IF exposed or concerned: Get medical advice/attention.

- Storage/Disposal** • P403 - Store in a well-ventilated place.  
P405 - Store locked up.  
P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

**DSD/DPD**



- Risk phrases** • R20 - Harmful by inhalation.  
R48/20 - Harmful: danger of serious damage to health by prolonged exposure through inhalation.  
R61 - May cause harm to the unborn child.

- Safety phrases** • S53 - Avoid exposure - obtain special instructions before use.

**2.3 Other Hazards**

- CLP** • This material is a simple asphyxiant. May displace or reduce oxygen available for breathing especially in confined spaces.  
According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.

- DSD/DPD** • This material is a simple asphyxiant. May displace or reduce oxygen available for breathing especially in confined spaces.  
According to European Directive 1999/45/EC this material is considered dangerous.

---

**United States (US)**

According to OSHA 29 CFR 1910.1200 HCS

**2.1 Classification of the substance or mixture**

- OSHA HCS 2012** • Compressed Gas - H280  
Reproductive Toxicity 1A - H360  
Simple Asphyxiant

**2.2 Label elements**

**OSHA HCS 2012**

**DANGER**



- Hazard statements** • Contains gas under pressure; may explode if heated - H280  
May damage fertility or the unborn child. - H360  
May displace oxygen and cause rapid suffocation.

**Precautionary statements**

- Prevention** • Obtain special instructions before use. - P201  
Do not handle until all safety precautions have been read and understood. - P202  
Wear protective gloves/protective clothing/eye protection/face protection. - P280

**Response** • IF exposed or concerned: Get medical advice/attention. - P308+P313

**Storage/Disposal** • Store in a well-ventilated place. - P403  
Store locked up. - P405  
Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. - P501

## 2.3 Other hazards

### OSHA HCS 2012

- Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

## Canada

### According to WHMIS

## 2.1 Classification of the substance or mixture

### WHMIS

- Compressed Gas -  
A Very Toxic - D1A  
Other Toxic Effects - D2A

## 2.2 Label elements

### WHMIS



- Compressed Gas -  
A Very Toxic - D1A  
Other Toxic Effects - D2A

## 2.3 Other hazards

### WHMIS

- This material is a simple asphyxiant. May displace or reduce oxygen available for breathing especially in confined spaces.  
In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

## Section 3 - Composition/Information on Ingredients

### 3.1 Substances

- Material does not meet the criteria of a substance in accordance with Regulation (EC) No 1272/2008.

### 3.2 Mixtures

Composition				
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive
Oxygen	CAS:7782-44-7 EC Number:231-956-9 EU Index:008-001-00-8	0% TO 23.5%	NDA	EU DSD/DPD: Annex VI, Table 3.2: O R8 EU CLP: Annex VI, Table 3.1: Ox. Gas 1, H270; Press. Gas - Comp., H280 OSHA HCS 2012: Ox. Gas 1; Press Gas. - Comp.
	CAS:74-82-8 EC			EU DSD/DPD: Annex VI, Table 3.2: F+ R12

Methane	<b>Number:</b> 200-812-7 <b>EU Index:</b> 601-001-00-4	0% TO 2.5%	NDA	<b>EU CLP:</b> Annex VI, Table 3.1: Flam. Gas 1, H220; Press. Gas - Comp., H280 <b>OSHA HCS 2012:</b> Flam. Gas 1; Press. Gas - Comp; Simp. Asphyx.
Carbon monoxide	<b>CAS:</b> 630-08-0 <b>EC Number:</b> 211-128-3 <b>EU Index:</b> 006-001-00-2	0.0005% TO 1%	Inhalation-Rat LC50 • 1807 ppm 4 Hour(s)	<b>EU DSD/DPD:</b> Annex VI, Table 3.2: F+ R12 T R23-48/23 Repr.Cat.1 R61 <b>EU CLP:</b> Annex VI, Table 3.1: Flam. Gas 1, H220; Press. Gas - Comp., H280; Repr. 1A, H360D; Acute Tox. 3 *, H331; STOT RE 1, H372 <b>OSHA HCS 2012:</b> Flam. Gas 1; Press Gas - Comp.; Repr 1A; Acute Tox. 3 (inhl)
Nitrogen dioxide	<b>CAS:</b> 10102-44-0 <b>EC Number:</b> 233-272-6 <b>EU Index:</b> 007-002-00-0	0.001% TO 0.022%	Inhalation-Rat LC50 • 88 ppm 4 Hour(s)	<b>EU DSD/DPD:</b> Annex VI, Table 3.2: T+ R26 C R34 O R8 <b>EU CLP:</b> Annex VI, Table 3.1: Press Gas - Liq., H280; Ox. Gas 1, H270; Acute Tox. 1, H330; Skin Corr. 1B, H314 <b>OSHA HCS 2012:</b> Press. Gas - Liq.; Ox. Gas 1; Skin Corr. 1; Eye Dam. 1; STOT SE 1 (Lungs, Blood (Methemoglobin former)); STOT RE 1 (Lungs, Inhl); Acute Tox. 1 (inhl); Muta. 2
Nitrogen	<b>CAS:</b> 7727-37-9 <b>EINECS:</b> 231-783-9	Balance	NDA	<b>EU DSD/DPD:</b> Not Classified <b>EU CLP:</b> Self Classified: Press. Gas - Comp., H280 <b>OSHA HCS 2012:</b> Press. Gas - Comp.; Simp. Asphyx.

See Section 16 for full text of H-statements and R-phrases.

## Section 4 - First Aid Measures

### 4.1 Description of first aid measures

#### Inhalation

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. If signs/symptoms continue, get medical attention.

#### Skin

- Although exposure is unlikely, in case of contact immediately flush skin with running water. If skin irritation develops get medical advice/attention.

#### Eye

- First aid is not expected to be necessary if material is used under ordinary conditions and as recommended. If irritation develops and persists, get medical attention.

#### Ingestion

- Ingestion is not considered a potential route of exposure.

### 4.2 Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

### 4.3 Indication of any immediate medical attention and special treatment needed

#### Notes to Physician

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred. A potential health hazard associated with this gas is anoxia.

### 4.4 Other information

- Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. RESCUERS SHOULD NOT ATTEMPT TO RETRIEVE VICTIMS OF EXPOSURE TO GASES WITHOUT ADEQUATE PERSONAL PROTECTIVE EQUIPMENT. At a minimum, Self-Contained Breathing Apparatus must be worn. Victim(s) who experience any adverse effect after over-exposure to this gas mixture must be taken for medical attention. Rescuers should be taken for medical attention if necessary. Take a copy of the label and the MSDS to physician or other health professional with victim(s).

## Section 5 - Firefighting Measures

### 5.1 Extinguishing media

**Suitable Extinguishing Media** • Use extinguishing agent suitable for type of surrounding fire.

**Unsuitable Extinguishing Media** • None known.

## 5.2 Special hazards arising from the substance or mixture

**Unusual Fire and Explosion Hazards** • Containers may explode when heated.  
Ruptured cylinders may rocket.

**Hazardous Combustion Products** • No data available

## 5.3 Advice for firefighters

- Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.  
Always wear thermal protective clothing when handling refrigerated/cryogenic liquids. Wear positive pressure self-contained breathing apparatus (SCBA).  
Move containers from fire area if you can do it without risk.  
FIRE: If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions.  
FIRE INVOLVING TANKS: Fight fire from maximum distance or use unmanned hose holders or monitor nozzles.  
FIRE INVOLVING TANKS: Cool containers with flooding quantities of water until well after fire is out.  
FIRE INVOLVING TANKS: Do not direct water at source of leak or safety devices; icing may occur.  
FIRE INVOLVING TANKS: Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.  
FIRE INVOLVING TANKS: ALWAYS stay away from tanks engulfed in fire.

## Section 6 - Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal Precautions** • Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material. Ventilate the area before entry.
- Emergency Procedures** • Stop leak if you can do it without risk. Keep unauthorized personnel away. Keep out of low areas. Stay upwind. Do not direct water at spill or source of leak. LARGE SPILL: Consider initial downwind evacuation for at least 500 meters (1/3 mile)

### 6.2 Environmental precautions

- Prevent spreading of vapors through sewers, ventilation systems and confined areas.

### 6.3 Methods and material for containment and cleaning up

- Containment/Clean-up Measures** • Stop leak if you can do it without risk.  
Do not direct water at spill or source of leak.  
Use water spray to reduce vapors; do not put water directly on leak, spill area or inside container.  
If possible, turn leaking containers so that gas escapes rather than liquid. Isolate area until gas has dispersed.  
Ventilate the area.

### 6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

## Section 7 - Handling and Storage

### 7.1 Precautions for safe handling

- Handling** • Use only with adequate ventilation. Ventilate closed spaces before entering. Be aware

of any signs of dizziness or fatigue, especially if work is done in a poorly ventilated area; exposures to fatal concentrations of this gas mixture could occur without any significant warning symptoms, due to olfactory fatigue or oxygen deficiency. Cylinders should be firmly secured to prevent falling or being knocked-over. Do not attempt to repair, adjust, or in any other way modify cylinders. If there is a malfunction or another type of operational problem, contact nearest distributor immediately. Empty containers retain product residue and can be hazardous. Do not cut, weld, puncture or incinerate container.

## 7.2 Conditions for safe storage, including any incompatibilities

### Storage

- Store in a cool, dry, well-ventilated place. Protect cylinders against physical damage. Cylinders should be firmly secured to prevent falling or being knocked-over.

## 7.3 Specific end use(s)

- Refer to Section 1.2 - Relevant identified uses.

## Section 8 - Exposure Controls/Personal Protection

### 8.1 Control parameters

Exposure Limits/Guidelines						
	Result	ACGIH	Canada Ontario	Canada Quebec	China	China Highly Toxic Goods
Methane (74-82-8)	TWAs	1000 ppm TWA (listed under Aliphatic hydrocarbon gases: Alkane C1-4)	1000 ppm TWA	Not established	Not established	Not established
Carbon monoxide (630-08-0)	Ceilings	Not established	Not established	Not established	20 mg/m3 Ceiling [MAC] (high altitude area, 2000-3000m); 15 mg/m3 Ceiling [MAC] (high altitude area, >3000m)	Not established
	STELs	Not established	Not established	200 ppm STEV; 230 mg/m3 STEV	30 mg/m3 STEL (not in high altitude area)	30 mg/m3 STEL (not in high altitude area)
	TWAs	25 ppm TWA	25 ppm TWA	35 ppm TWA EV; 40 mg/m3 TWA EV	20 mg/m3 TWA (not in high altitude area)	20 mg/m3 TWA (not in high altitude area)
Nitrogen dioxide (10102-44-0)	STELs	Not established	5 ppm STEL	Not established	10 mg/m3 STEL	10 mg/m3 STEL
	TWAs	0.2 ppm TWA	3 ppm TWA	3 ppm TWA EV; 5.6 mg/m3 TWA EV	5 mg/m3 TWA	5 mg/m3 TWA
Exposure Limits/Guidelines (Con't.)						
	Result	France	Germany DFG	Germany TRGS	Ireland	Israel
Methane (74-82-8)	TWAs	Not established	Not established	Not established	1000 ppm TWA	1000 ppm TWA (gas, listed under Aliphatic hydrocarbon gases: Alkane C1-4)
	TWAs	50 ppm TWA [VME]; 55 mg/m3 TWA [VME]	Not established	30 ppm TWA AGW (The risk of damage to the embryo or fetus cannot be excluded even when AGW and BGW values are observed, exposure factor 2); 35 mg/m3 TWA AGW (The risk of damage	20 ppm TWA; 23 mg/m3 TWA	25 ppm TWA

Carbon monoxide (630-08-0)				to the embryo or fetus cannot be excluded even when AGW and BGW values are observed, exposure factor 2)		
	STELs	Not established	Not established	Not established	100 ppm STEL; 115 mg/m3 STEL	Not established
	Ceilings	Not established	60 ppm Peak; 70 mg/m3 Peak	Not established	Not established	Not established
	MAKs	Not established	30 ppm TWA MAK; 35 mg/m3 TWA MAK	Not established	Not established	Not established
Nitrogen dioxide (10102-44-0)	STELs	3 ppm STEL [VLCT]; 6 mg/m3 STEL [VLCT]	Not established	Not established	5 ppm STEL; 9 mg/m3 STEL	Not established
	TWAs	Not established	Not established	Not established	3 ppm TWA; 5 mg/m3 TWA	0.2 ppm TWA
	Ceilings	Not established	0.5 ppm Peak; 0.95 mg/m3 Peak	Not established	Not established	Not established
	MAKs	Not established	0.5 ppm TWA MAK; 0.95 mg/m3 TWA MAK	Not established	Not established	Not established
<b>Exposure Limits/Guidelines (Con't.)</b>						
	<b>Result</b>	<b>NIOSH</b>	<b>OSHA</b>	<b>Portugal</b>	<b>Spain</b>	<b>Sweden</b>
Methane (74-82-8)	TWAs	Not established	Not established	1000 ppm TWA [VLE-MP]	1000 ppm TWA [VLA-ED]	Not established
Carbon monoxide (630-08-0)	TWAs	35 ppm TWA; 40 mg/m3 TWA	50 ppm TWA; 55 mg/m3 TWA	25 ppm TWA [VLE-MP]	25 ppm TWA [VLA-ED]; 29 mg/m3 TWA [VLA-ED]	20 ppm LLV (regulated under exhaust fumes, listed under Exhaust fumes); 25 mg/m3 LLV (regulated under exhaust fumes, listed under Exhaust fumes); 35 ppm LLV; 40 mg/m3 LLV
	Biological Limit Values (BLV)	Not established	Not established	Not established	3.5 % of Carboxyhemoglobin in total hemoglobin blood end of shift Carboxyhemoglobin (2,F,I); 20 ppm alveolar air end of shift CO end-cut of exhaled air (2,F,I)	Not established
	STELs	Not established	Not established	Not established	Not established	100 ppm STV; 120 mg/m3 STV
	Ceilings	200 ppm Ceiling; 229 mg/m3 Ceiling	Not established	Not established	Not established	Not established
	STELs	1 ppm STEL; 1.8 mg/m3 STEL	Not established	5 ppm STEL [VLE-CD]	5 ppm STEL [VLA-EC]; 9.6 mg/m3 STEL [VLA-EC]	Not established
						1 ppm LLV (listed under Exhausted

Nitrogen dioxide (10102-44-0)	TWAs	Not established	Not established	3 ppm TWA [VLE-MP]	3 ppm TWA [VLA-ED]; 5.7 mg/m3 TWA [VLA-ED]	gasses); 2 mg/m3 LLV (listed under Exhausted gasses); 2 ppm LLV (as Nitrogen oxide); 4 mg/m3 LLV (as Nitrogen oxide)
	Ceilings	Not established	5 ppm Ceiling; 9 mg/m3 Ceiling	Not established	Not established	5 ppm CLV; 10 mg/m3 CLV

## Exposure Control Notations

### Portugal

- Nitrogen dioxide (10102-44-0): **Carcinogens:** (A4 - Not Classifiable as a Human Carcinogen)
- Nitrogen (7727-37-9): **Simple Asphyxiants:** (Simple Asphyxiant)

### France

- Carbon monoxide (630-08-0): **Reproductive Toxins:** (Reproductive Toxin category 1)

### Ireland

- Carbon monoxide (630-08-0): **Substances with Potential Chronic Health Effects:** (Repr1A)
- Methane (74-82-8): **Simple Asphyxiants:** (Asphyxiant)
- Nitrogen (7727-37-9): **Simple Asphyxiants:** (Asphyxiant)

### Spain

- Carbon monoxide (630-08-0): **Reproductive Toxins:** (known reproductive toxins with classification from human data)
- Nitrogen (7727-37-9): **Simple Asphyxiants:** (simple asphyxiant)

### Sweden

- Carbon monoxide (630-08-0): **Reproductive Toxins:** (Causes reproductive disturbances)

### Germany DFG

- Nitrogen dioxide (10102-44-0): **Carcinogens:** (Category 3B (could be carcinogenic for man)) | **Pregnancy:** (classification not yet possible)
- Carbon monoxide (630-08-0): **Pregnancy:** (risk to embryo/fetus probable)

## 8.2 Exposure controls

### Engineering Measures/Controls

- Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Personal Protective Equipment

#### Respiratory

- Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

#### Eye/Face

- Wear safety glasses.

#### Skin/Body

- Wear leather gloves when handling cylinders.

### Environmental Exposure Controls

- Follow best practice for site management and disposal of waste. Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways.

### Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

LLV = Limit Level Value is the exposure limit for 8-hour work day

= Maximale Arbeitsplatz Konzentration is the maximum permissible

MAK concentration

NIOSH = National Institute of Occupational Safety and Health

OSHA = Occupational Safety and Health Administration

= Short Term Exposure Limits are based on 15-minute

STEL exposures

= Time-Weighted Averages are based on 8h/day, 40h/week

TWA exposures

TWAEV = Time-Weighted Average Exposure Value

## Section 9 - Physical and Chemical Properties

## 9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Gas	Appearance/Description	Colorless gas with a faint pungent odor.
Color	Colorless	Odor	Pungent
Odor Threshold	0.11 to 0.14 ppm (Nitrogen Dioxide)		
General Properties			
Boiling Point	-195.8 C(-320.44 F) (Nitrogen)	Melting Point	-210 C(-346 F) (Nitrogen)
Decomposition Temperature	Data lacking	pH	Not relevant
Specific Gravity/Relative Density	0.906 Water=1 (Nitrogen)	Density	0.072 lb(s)/ft³ @ 0 C(32 F) (Nitrogen)
Water Solubility	Data lacking	Viscosity	Data lacking
Explosive Properties	Data lacking	Oxidizing Properties:	Data lacking
Volatility			
Vapor Pressure	Data lacking	Vapor Density	Data lacking
Evaporation Rate	Data lacking		
Flammability			
Flash Point	Not relevant	UEL	Not relevant
LEL	Not relevant	Autoignition	Data lacking
Flammability (solid, gas)	Nonflammable Gas.		
Environmental			
Octanol/Water Partition coefficient	Data lacking		

## 9.2 Other Information

- No additional physical and chemical parameters noted.

## Section 10: Stability and Reactivity

### 10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

- Stable under normal temperatures and pressures.

### 10.3 Possibility of hazardous reactions

- Hazardous polymerization will not occur.

### 10.4 Conditions to avoid

- Excess heat.

### 10.5 Incompatible materials

- Nitrogen reacts with Li, Nd, and Ti at high temperatures.

### 10.6 Hazardous decomposition products

- Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11 - Toxicological Information

### 11.1 Information on toxicological effects

Components		
Nitrogen dioxide (0.001% TO 0.022%)	10102-44-0	<b>Acute Toxicity:</b> Inhalation-Rat LC50 • 88 ppm 4 Hour(s); <b>Mutagen:</b> Unscheduled DNA synthesis • Inhalation-Rat • 30 ppm 1 Hour(s); Cytogenetic analysis • Inhalation-Rat • 27 ppm 3 Hour(s)-Continuous; Mutation in Mammalian Somatic Cells • Inhalation-Rat • 15 ppm 3 Hour(s)-Continuous; DNA adduct • Inhalation-Rat • 108 mg/kg 300 Day(s)-Intermittent
Carbon monoxide (0.0005% TO 1%)	630-08-0	<b>Acute Toxicity:</b> Inhalation-Rat LC50 • 1807 ppm 4 Hour(s); <b>Reproductive:</b> Inhalation-Rat TCLo • 150 ppm (0-20D preg); <i>Reproductive Effects:Maternal Effects:Other effects; Reproductive Effects:Effects on Newborn:Biochemical and metabolic; Reproductive Effects:Effects on Newborn:Physical</i>
Oxygen (0% TO 23.5%)	7782-44-7	<b>Reproductive:</b> Inhalation-Rat TCLo • 10 pph 9 Hour(s)(22D preg); <i>Reproductive Effects:Specific Developmental Abnormalities:Respiratory system; Reproductive Effects:Effects on Newborn:Physical</i>

GHS Properties	Classification
Acute toxicity	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Aspiration Hazard	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Carcinogenicity	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Germ Cell Mutagenicity	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Skin corrosion/Irritation	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Skin sensitization	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
STOT-RE	EU/CLP • Specific Target Organ Toxicity Repeated Exposure 2 OSHA HCS 2012 • Data lacking
STOT-SE	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Toxicity for Reproduction	EU/CLP • Toxic to Reproduction 1A OSHA HCS 2012 • Toxic to Reproduction 1A
Respiratory sensitization	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Serious eye damage/Irritation	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking

Route(s) of entry/exposure • Inhalation, Skin, Eye

## Potential Health Effects

### Inhalation

#### Acute (Immediate)

- This material is a simple asphyxiant. May displace or reduce oxygen available for breathing especially in confined spaces. If this material is released in a small, poorly ventilated area (i.e. an enclosed or confined space), an oxygen-deficient environment may occur. Individuals breathing such an atmosphere may experience symptoms which include headaches, ringing in ears, dizziness, drowsiness, unconsciousness, nausea, vomiting, and depression of all the senses. Under some circumstances of over-exposure, death may occur. The following effects associated with decreased levels of oxygen: increase in breathing and pulse rate, emotional upset, abnormal fatigue, nausea, vomiting, collapse, loss of consciousness, convulsive movements, respiratory collapse and death.

<b>Chronic (Delayed)</b>	<ul style="list-style-type: none"> <li>No data available</li> </ul>
<b>Skin</b>	
<b>Acute (Immediate)</b>	<ul style="list-style-type: none"> <li>Under normal conditions of use, no health effects are expected.</li> </ul>
<b>Chronic (Delayed)</b>	<ul style="list-style-type: none"> <li>No data available</li> </ul>
<b>Eye</b>	
<b>Acute (Immediate)</b>	<ul style="list-style-type: none"> <li>Under normal conditions of use, no health effects are expected.</li> </ul>
<b>Chronic (Delayed)</b>	<ul style="list-style-type: none"> <li>No data available</li> </ul>
<b>Ingestion</b>	
<b>Acute (Immediate)</b>	<ul style="list-style-type: none"> <li>Ingestion is not anticipated to be a likely route of exposure to this product.</li> </ul>
<b>Chronic (Delayed)</b>	<ul style="list-style-type: none"> <li>Ingestion is not anticipated to be a likely route of exposure to this product.</li> </ul>
<b>Other</b>	
<b>Chronic (Delayed)</b>	<ul style="list-style-type: none"> <li>May cause damage to organs through prolonged or repeated exposure. The transport of oxygen in blood ensured by haemoglobin will be slowed down because carboxyhaemoglobin instead of oxyhaemoglobin will be formed in lungs. The affinity of haemoglobin for carbon monoxide is 200 to 300 higher than for oxygen. All related health hazards will be caused by slow respiration of cells which will damage the central nervous system, collapse the cardiovascular system, cause kidney insufficiency, coma, etc.</li> </ul>
<b>Reproductive Effects</b>	<ul style="list-style-type: none"> <li>The Carbon Monoxide component of this gas mixture can cause teratogenic effects in humans. Severe exposure to Carbon Monoxide during pregnancy has caused adverse effects and the death of the fetus. In general, maternal symptoms are an indicator of the potential risk to the fetus since Carbon Monoxide is toxic to the mother before it is toxic to the fetus.</li> </ul>

#### Key to abbreviations

LC = Lethal Concentration

TC = Toxic Concentration

## Section 12 - Ecological Information

### 12.1 Toxicity

- Material data lacking.

### 12.2 Persistence and degradability

- Material data lacking.

### 12.3 Bioaccumulative potential

- Material data lacking.

### 12.4 Mobility in Soil

- Material data lacking.

### 12.5 Results of PBT and vPvB assessment

- PBT and vPvB assessment has not been conducted for this material.

### 12.6 Other adverse effects

- No studies have been found.

## Section 13 - Disposal Considerations

### 13.1 Waste treatment methods

**Product waste**

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

**Packaging waste**

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

## Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	UN1956	Compressed gases, n.o.s. (Nitrogen, Oxygen, Carbon Monoxide)	2.2	NDA	NDA
TDG	UN1956	COMPRESSED GASES, N.O.S. (Nitrogen, Oxygen, Carbon Monoxide)	2.2	NDA	NDA
IMO/IMDG	UN1956	COMPRESSED GASES, N.O.S. (Nitrogen, Oxygen, Carbon Monoxide)	2.2	NDA	NDA
IATA/ICAO	UN1956	Compressed gases, n.o.s. (Nitrogen, Oxygen, Carbon Monoxide)	2.2	NDA	NDA

**14.6 Special precautions for user**

- Cylinders should be transported in a secure position, in a well-ventilated vehicle. The transportation of compressed gas cylinders in automobiles or in closed-body vehicles can present serious safety hazards. If transporting these cylinders in vehicles, ensure these cylinders are not exposed to extremely high temperatures (as may occur in an enclosed vehicle on a hot day). Additionally, the vehicle should be well-ventilated during transportation.

**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

- Data lacking.

## Section 15 - Regulatory Information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****SARA Hazard Classifications** • Acute, Chronic, Pressure(Sudden Release of)

State Right To Know				
Component	CAS	MA	NJ	PA
Carbon monoxide	630-08-0	Yes	Yes	Yes
Methane	74-82-8	Yes	Yes	Yes
Nitrogen	7727-37-9	Yes	Yes	Yes
Nitrogen dioxide	10102-44-0	Yes	Yes	Yes
Oxygen	7782-44-7	Yes	Yes	Yes

Inventory						
Component	CAS	Canada DSL	Canada NDSL	China	EU EINECS	EU ELNICS
Carbon monoxide	630-08-0	Yes	No	Yes	Yes	No
Methane	74-82-8	Yes	No	Yes	Yes	No
Nitrogen	7727-37-9	Yes	No	Yes	Yes	No
Nitrogen dioxide	10102-44-0	Yes	No	Yes	Yes	No
Oxygen	7782-44-7	Yes	No	Yes	Yes	No

Inventory (Con't.)		
Component	CAS	TSCA
Carbon monoxide	630-08-0	Yes
Methane	74-82-8	Yes
Nitrogen	7727-37-9	Yes
Nitrogen dioxide	10102-44-0	Yes
Oxygen	7782-44-7	Yes

## Canada

### Labor

#### Canada - WHMIS - Classifications of Substances

• Carbon monoxide	630-08-0	A, B1, D1A, D2A
• Oxygen	7782-44-7	A, C
• Nitrogen dioxide	10102-44-0	A, C, D1A, D2B, E
• Nitrogen	7727-37-9	A
• Methane	74-82-8	A, B1

#### Canada - WHMIS - Ingredient Disclosure List

• Carbon monoxide	630-08-0	0.1 %
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	1 %
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

### Environment

#### Canada - 2004 NPRI (National Pollutant Release Inventory)

• Carbon monoxide	630-08-0	Part 4 Substance
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

#### Canada - 2005 NPRI (National Pollutant Release Inventory)

• Carbon monoxide	630-08-0	Part 4 Substance
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

#### Canada - CEPA - Greenhouse Gases Subject to Mandatory Reporting

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	21 GWP

#### Canada - CEPA - Priority Substances List

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

**Canada - DWQ (Drinking Water Quality) - IMACs**

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

**Other****Canada - Accelerated Reduction/Elimination of Toxics (ARET)**

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

**Canada New Brunswick****Environment****Canada - New Brunswick - Ozone Depleting Substances - Schedule A**

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

**Canada - New Brunswick - Ozone Depleting Substances - Schedule B**

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

**China****Environment****China - Ozone Depleting Substances - First Schedule**

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

**China - Ozone Depleting Substances - Second Schedule**

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

**China - Ozone Depleting Substances - Third Schedule**

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed

• Methane	74-82-8	Not Listed
-----------	---------	------------

## Other

### China - Annex I & II - Controlled Chemicals Lists

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

### China - Dangerous Goods List

• Carbon monoxide	630-08-0	
• Oxygen	7782-44-7	(compressed or refrigerated liquid)
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	(compressed or refrigerated liquid)
• Methane	74-82-8	(compressed or refrigerated liquid)

### China - Export Control List - Part I Chemicals

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

## Europe

## Other

### EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification

• Carbon monoxide	630-08-0	F+; R12 T; R23-48/23 Repr.Cat.1; R61
• Oxygen	7782-44-7	O; R8
• Nitrogen dioxide	10102-44-0	T+; R26 C; R34 O; R8
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	F+; R12

### EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	10%≤C: T+; R:26 1% ≤C<10%: T; R:23 0.1% ≤C<1%: Xn; R:20
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

### EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling

• Carbon monoxide	630-08-0	F+ T R:61-12-23-48/23 S:53-45
• Oxygen	7782-44-7	O R:8 S:(2)-17
• Nitrogen dioxide	10102-44-0	O T+ R:8-26-34 S:(1/2)-9-26-28-36/37/39-45
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	F+ R:12 S:(2)-9-16-33

**EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and Preparations**

• Carbon monoxide	630-08-0	E
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	5
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

**EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases**

• Carbon monoxide	630-08-0	S:53-45
• Oxygen	7782-44-7	S:(2)-17
• Nitrogen dioxide	10102-44-0	S:(1/2)-9-26-28-36/37/39-45
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	S:(2)-9-16-33

**Germany****Environment****Germany - TA Luft - Types and Classes**

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	inorganic gas Substance: 5.2.4, Class IV
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

**Germany - Water Classification (VwVwS) - Annex 1**

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	ID Number 743, not considered hazardous to water
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	ID Number 1351, not considered hazardous to water
• Methane	74-82-8	ID Number 1343, not considered hazardous to water

**Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes**

• Carbon monoxide	630-08-0	ID Number 257, hazard class 1 - low hazard to waters
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	ID Number 285, hazard class 1 - low hazard to waters
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

**Germany - Water Classification (VwVwS) - Annex 3**

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

**Other****Germany - Specifically Regulated Chemicals in TRGS**

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

## Portugal

### Other

#### Portugal - Prohibited Substances

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

## United Kingdom

### Environment

#### United Kingdom - Pollution Inventory - Schedule 1 - Thresholds for Releases to Air

• Carbon monoxide	630-08-0	100000 kg
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	10000 kg

#### United Kingdom - Substances Contained in Dangerous Substances or Preparations

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

### Other

#### United Kingdom - Workplace Exposure Limits (WELs) - Substances in Review

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

#### United Kingdom - List of Dangerous Substances in Water

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

## United States

### Labor

#### U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	250 lb TQ

• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

**U.S. - OSHA - Specifically Regulated Chemicals**

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

**Environment****U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants**

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

**U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities**

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	10 lb final RQ (releases to the air in amounts <1000 pounds per 24 hours which are the result of combustion and combustion-related activities are exempt from the notification requirements per 40 CFR 302.6); 4.54 kg final RQ (releases to the air in amounts <1000 pounds per 24 hours which are the result of combustion and combustion-related activities are exempt from the notification requirements per 40 CFR 302.6)
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

**U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities**

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

**U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs**

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	10 lb EPCRA RQ (Releases to the air in amounts <1000 pounds per 24 hours which are the result of combustion and combustion-related activities are exempt from the

		notification requirements per 40 CFR 355.31)
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed
<b>U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs</b>		
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	100 lb TPQ
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed
<b>U.S. - CERCLA/SARA - Section 313 - Emission Reporting</b>		
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed
<b>U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing</b>		
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed
<b>U.S. - RCRA (Resource Conservation &amp; Recovery Act) - Hazardous Constituents - Appendix VIII to 40 CFR 261</b>		
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	waste number P078
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed
<b>U.S. - RCRA (Resource Conservation &amp; Recovery Act) - P Series Wastes - Acutely Toxic Wastes</b>		
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	waste number P078
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

## United States - California

### Environment

#### U.S. - California - Proposition 65 - Carcinogens List

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

#### U.S. - California - Proposition 65 - Developmental Toxicity

• Carbon monoxide	630-08-0	developmental toxicity, initial date 7/1/89
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed

• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

**U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)**

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

**U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL)**

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

**U.S. - California - Proposition 65 - Reproductive Toxicity - Female**

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

**U.S. - California - Proposition 65 - Reproductive Toxicity - Male**

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

**United States - Pennsylvania****Labor****U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List**

• Carbon monoxide	630-08-0	
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	(listed under Nitrogen oxide)
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

**U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances**

• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Nitrogen dioxide	10102-44-0	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

**15.2 Chemical Safety Assessment**

- No Chemical Safety Assessment has been carried out.

**15.3 Other Information**

- WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

## Section 16 - Other Information

### Relevant Phrases (code & full text)

- H220 - Extremely flammable gas
- H270 - May cause or intensify fire; oxidizer
- H314 - Causes severe skin burns and eye damage.
- H330 - Fatal if inhaled
- H331 - Toxic if inhaled
- H372 - Causes damage to organs through prolonged or repeated exposure.
- R8 - Contact with combustible material may cause fire.
- R12 - Extremely flammable.
- R23 - Toxic by inhalation.
- R26 - Very toxic by inhalation.
- R34 - Causes burns.
- R48/23 - Toxic: danger of serious damage to health by prolonged exposure through inhalation.

### Last Revision Date

- 05/September/2014

### Preparation Date

- 05/September/2014

### Disclaimer/Statement of Liability

- To the best of Air Liquide's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this gas mixture is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

### Key to abbreviations

NDA = No Data Available