

Safety Data Sheet 50244MSA

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 02/09/2015 Version: 1.0

The Safety Company

SECTION 4. Identification of the		the company/undertaking	
	substance/mixture and of	the company/undertaking	
	Misture		
	o	6 - 0.022 /0) in Milogen	
c1. Product identifier induct form : Mitrue induct form : Nitrogen Dixxide (0.0001% - 0.022%) in Nitrogen MSA P/N : 300977 2. Relevant identified uses of the substance or mixture and uses advised against ise ise of the substance/mixture : Test gas/Calibration gas. 3. Details of the supplier of the safety data sheet famohidge, MD 2 fel3 Singer planneas Company famosa Schward Woods Drive famohidge, MD 2 fel3 Singer planneas Company famosa Schward Woods Drive innergency number : CHEMTREC: 1-800-424-9300 finternationally: 1-703-527-3887 SECTION 2: Hazardot identification : Classification of the substance or mixture Stassification of the substance or mixture : Signal word (GHS-US) internationally: 1-703-527-3887 : : Stassification of the substance or mixture : : Stassification (GHS-US) : : : idignal word (GHS-US) : : : : idignal word (GHS-US) : : : : : idignal word (GHS-US)			
		dvised against	
Product form : Mixture Product form : Nitrogen Disxide (0.0001% - 0.022%) in Nitrogen MSA PM : 200977 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture : Test gas/Calibration gas. 1.3. Details of the subplier of the safety data sheet Manufacturer: Calgaz, divison of Air Liquide Calgaz, divison of Air Liquide 201 Chesspeake Drive Cambridge, MD 21613 U.S. Supplier Nonscher MD 21613 U.S. Supplier Promovisante Loompany Mine Safety Appliances Company Mine Safety Appliances Drove Cambridge, MD 21613 U.S. Supplier Promovisante Loompany Mine Safety Appliances Company Mine Safety Appliances Company Cambridge Appliances Company Mine Safety Applian			
	fety data sheet		
Manufacturer: Calgaz, divison of Air Liquide 821 Chesapeake Drive Cambridge, MD 21613			
U.S. Supplier Mine Safety Appliances Company 1000 Cranberry Woods Drive Cranberry Township Pennsylvania U.S.A. 16066			
1-800-MSA-2222 www.msanet.com/prism			
Emergency number			
SECTION 2: Hazards identification	on		
2.1. Classification of the substance	or mixture		
Classification (GHS-US)			
Compressed gas H280			
Full text of H-phrases: see section 16			
2.2 Label elements			
•			
	GHS04		
Signal word (GHS-US)	: Warning		
Hazard statements (GHS-US)	: H280 - Contains gas und	er pressure; may explode if heated	
Precautionary statements (GHS-US)	P271 - Use only outdoors P280 - Wear protective g P304+P340 - If inhaled: F P308+P313 - If exposed of P403 - Store in a well-ver P501 - Dispose of conten regulations CGA-PG02 - Protect from CGA-PG05 - Use a back CGA-PG06 - Close valve CGA-PG10 - Use only wi CGA-PG14 - Approach so	or in a well-ventilated area by seven protective clothing, eye protection, face protection emove person to fresh air and keep comfortable for b or concerned: Get medical advice/attention tilated place s/container in accordance with local/regional/national sunlight when ambient temperature exceeds 52°C (1 low preventive device in the piping after each use and when empty h equipment rated for cylinder pressure ispected leak area with caution	on preathing I/international
03/16/2015	EN (English US)	SDS ID: 50244MSA	Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. **Substance**

Not applicable

3.2. **Mixture**

Name	Product identifier	%	Classification (GHS-US)
Nitrogen	(CAS No) 7727-37-9	99.978 - 99.9999	Compressed gas, H280
Nitrogen dioxide	(CAS No) 10102-44-0	0.0001 - 0.022	Ox. Gas 1, H270 Liquefied gas, H280 Acute Tox. 1 (Inhalation:gas), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 2, H371

Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Adverse effects not expected from this product.
First-aid measures after eye contact	: Adverse effects not expected from this product.
First-aid measures after ingestion	: Ingestion is not considered a potential route of exposure.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/injuries after inhalation	: May displace oxygen and cause rapid suffocation.
Symptoms/injuries after skin contact	: Adverse effects not expected from this product.
Symptoms/injuries after eye contact	: Adverse effects not expected from this product.
Symptoms/injuries after ingestion	: Ingestion is not considered a potential route of exposure.
Symptoms/injuries upon intravenous administration	: Not known.
Chronic symptoms	: Adverse effects not expected from this product. None known.
4.3. Indication of any immediate medical	attention and special treatment needed
If you feel unwell, seek medical advice. If breathin	ng is difficult, give oxygen.
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use water jet.
	· · · · · · · · · · · · · · · · · · ·
5.2. Special hazards arising from the sub	
5.2. Special hazards arising from the sub Fire hazard	
	stance or mixture
Fire hazard	 stance or mixture The product is not flammable. Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire
Fire hazard Explosion hazard	 stance or mixture The product is not flammable. Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Fire hazard Explosion hazard Reactivity	 stance or mixture The product is not flammable. Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Fire hazard Explosion hazard Reactivity 5.3. Advice for firefighters	 stance or mixture The product is not flammable. Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. None known. In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray
Fire hazard Explosion hazard Reactivity 5.3. Advice for firefighters Firefighting instructions	 Stance or mixture The product is not flammable. Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. None known. In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Do not enter fire area without proper protective equipment, including respiratory protection.
Fire hazard Explosion hazard Reactivity 5.3. Advice for firefighters Firefighting instructions Protection during firefighting	 Stance or mixture The product is not flammable. Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. None known. In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Do not enter fire area without proper protective equipment, including respiratory protection.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1.	For non-emergency personnel	
Protectiv	ve equipment	: Wear protective equipment consistent with the site emergency plan.
Emerge	ncy procedures	: Escape the danger area by the closest safe route. Close doors and windows of adjacent premises. Keep containers closed. Mark the danger area. Seal off low-lying areas. Keep upwind.
6.1.2.	For emergency responders	
Protectiv	ve equipment	: Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Equip cleanup crew with proper protection.
Emerge	ncy procedures	: Evacuate and limit access. Ventilate area.
6.2.	Environmental precautions	
Try to st	op release if safe to do so.	
6.3.	Methods and material for containment	t and cleaning up
For cont	ainment	: Try to stop release if safe to do so.
Methods	s for cleaning up	: Dispose of this material and its container in accordance with local regulations.
6.4.	Reference to other sections	
See also	o Sections 8 and 13.	
SECT	ON 7: Handling and storage	
7.1.	Precautions for safe handling	
Addition	al hazards when processed	: Pressurized container: Do not pierce or burn, even after use. Use equipment rated for cylinder pressure.
Precaut	ions for safe handling	: Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area.
Safe ha	ndling of the gas receptacle	: Protect cylinders from physical damage; do not drag, roll, slide or drop. Do not remove or deface labels provided by the supplier for the identification of the cylinder contents.
Safe use	e of the product	: The substance must be handled in accordance with good industrial hygiene and safety procedures. Only experienced and properly instructed persons should handle gases under pressure. Do not remove or deface labels provided by the supplier for the identification of the cylinder contents.
Hygiene	measures	: Do not eat, drink or smoke when using this product.
7.2.	Conditions for safe storage, includin	any incompatibilities
Technic	al measures	: Comply with applicable regulations.
Storage	conditions	: Do not expose to temperatures exceeding 52°C (125°F). Keep container closed when not in use. Protect cylinder from physical damage. Store in well ventilated area.
Incompa	atible products	: None known.
Incompa	atible materials	: None known.
Storage	area	: Store away from heat. Store in a well-ventilated place.
7.3.	Specific end use(s)	

Test gas/Calibration gas.

SECTION 8: Exposure controls/personal protection

8.1. Control par	ameters			
Nitrogen Dioxide (0	Nitrogen Dioxide (0.0001% - 0.022%) in Nitrogen			
ACGIH	Not applicable			
OSHA	Not applicable			
Nitrogen (7727-37-9))			
ACGIH	Not applicable			
OSHA	Not applicable			
Nitrogen dioxide (10102-44-0)				
ACGIH	ACGIH TWA (ppm)	0.2 ppm		
OSHA	OSHA PEL (Ceiling) (mg/m ³)	9 mg/m ³		
OSHA	OSHA PEL (Ceiling) (ppm)	5 ppm		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2.	Exposure controls		
Appro	ppriate engineering controls	Ensure exposure is below occupational exposure limits. Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly checked for leakages. Oxygen detectors should be used when asphyxiating gases may be released. Consider work permit system e.g. for maintenance activities.	I
Hand	protection	: Wear working gloves when handling gas containers. 29 CFR 1910.138: Hand Protection.	
Eye p	rotection	: Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection.	
Skin a	and body protection	: Wear suitable protective clothing, e.g lab coats, coveralls or flame resistant clothing.	
Respi	iratory protection	: None necessary during normal and routine operations. See Sections 5 & 6.	
Therm	nal hazard protection	: None necessary during normal and routine operations.	
Enviro	onmental exposure controls	: Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for specific methods for waste gas treatment.	
Other	information	: Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection.	

SECTION 9: Physical and chemical properties

lopenies
emical properties
: Gas
: Gas. Colorless to red-brown.
: Not applicable for gas-mixtures.
: Colorless to red-brown
: Pungent.;Odorless
: No data available
: Not applicable for gas-mixtures.
: No data available
: Not applicable for gas-mixtures.
: No data available
: See Sect. 2.1 & 2.2
: Not applicable.
: No data available
: No data available
: Lighter or similar to air.
: Water: Solubility in water of component(s) of the mixture : •: 20 mg/l •:
: Not applicable for gas-mixtures.
: Not applicable for gas-mixtures.
: Not applicable.
: Not applicable.
: Not flammable. Not applicable - not flammable.
: None.
: Not applicable - not flammable
: None.

SECTIO	DN 10: Stability and reactivity				
10.1.	Reactivity				
None kno	None known.				
10.2.	Chemical stability				
Stable un	der normal conditions.				

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.3.	Possibility of hazardous reactions
None k	nown.
10.4.	Conditions to avoid
None u	nder recommended storage and handling conditions (see section 7).
10.5.	Incompatible materials
None k	nown.
10.6.	Hazardous decomposition products
Under r	normal conditions of storage and use hazardous decomposition products should not be produced.
SECT	ION 11: Toxicological information
11.1.	Information on toxicological effects

Acute toxicity

: Not classified

Nitrogen (7727-37-9)	
LC50 inhalation rat (ppm)	820000 ppm/4h
Nitrogen dioxide (10102-44-0)	
LC50 inhalation rat (ppm)	57.5 ppm/4h
ATE US (gases)	10.000 ppmV/4h
Skin corrosion/irritation	: Not classified
	pH: Not applicable for gas-mixtures.
Serious eye damage/irritation	: Not classified
	pH: Not applicable for gas-mixtures.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May displace oxygen and cause rapid suffocation.
Symptoms/injuries after skin contact	: Adverse effects not expected from this product.
Symptoms/injuries after eye contact	: Adverse effects not expected from this product.
Symptoms/injuries after ingestion	: Ingestion is not considered a potential route of exposure.
Symptoms/injuries upon intravenous administration	: Not known.
Chronic symptoms	: Adverse effects not expected from this product. None known.

SECTION 12: Ecological information 12.1. Toxicity Ecology - general : Classification criteria are not met.

12.2. Persistence and degradability	
Nitrogen Dioxide (0.0001% - 0.022%) in Nitrogen	
Persistence and degradability	No data available.
Nitrogen (7727-37-9)	
Persistence and degradability	No ecological damage caused by this product.
Nitrogen dioxide (10102-44-0)	
Persistence and degradability	Not applicable for inorganic gases.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Nitrogen Dioxide (0.0001% - 0.022%) in Nitrog	gen		
Log Pow	Not applicable for gas-mi	ktures.	
Log Kow	Not applicable for gas-mi		
Bioaccumulative potential	No data available.		
Nitrogen (7727-37-9)			
Log Pow	Not applicable for inorgai	ic gases.	
Bioaccumulative potential	No ecological damage ca	-	
Nitrogen dioxide (10102-44-0)			
Log Pow	Not applicable for inorga	ic gases.	
Bioaccumulative potential	No data available.		
•			
2.4. Mobility in soil			
Nitrogen Dioxide (0.0001% - 0.022%) in Nitrog			
Mobility in soil	No data available.		
Nitrogen (7727-37-9)			
Ecology - soil	No ecological damage ca	used by this product.	
Nitrogen dioxide (10102-44-0)			
Ecology - soil	Because of its high volati	ity, the product is unlikely to cause ground or water pollution.	
2.5. Other adverse effects			
ffect on ozone layer	: None.		
ffect on the global warming	: No known ecological dar	age caused by this product.	
ECTION 13: Disposal consideration	S		
3.1. Waste treatment methods			
/aste treatment methods		ce is required. Do not discharge into any place where its ingerous. Ensure that the emission levels from local regulations of exceeded.	or
Vaste disposal recommendations	: Refer to the CGA Pamph guidance on suitable dis	let P-63 "Disposal of Gases" available at www.cganet.com for mosal methods.	ore
ECTION 14: Transport information			
accordance with DOT			
ransport document description	: UN1956 Compressed ga	s, n.o.s. (Nitrogen, Nitrogen Dioxide)	
N-No.(DOT)	: UN1956		
roper Shipping Name (DOT)	: Compressed gas, n.o.s.		
azard labels (DOT)	: 2.2 - Non-flammable gas		
	2		
OT Symbols	: G - Identifies PSN requir	ng a technical name	
OT Packaging Exceptions (49 CFR 173.xxx)	: 306;307		
OT Packaging Non Bulk (49 CFR 173.xxx)	: 302;305		
OT Packaging Bulk (49 CFR 173.xxx)	: 314;315		
OT Quantity Limitations Passenger aircraft/rail 9 CFR 173.27)	: 75 kg		
OT Quantity Limitations Cargo aircraft only (49 FR 175.75)	: 150 kg		
OT Vessel Stowage Location	: A - The material may be passenger vessel.	stowed "on deck" or "under deck" on a cargo vessel and on a	
dditional information			
ther information	: No supplementary inform	ation available.	
3/16/2015	EN (English US)	SDS ID: 50244MSA	6/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Special transport precautions	 Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers: Ensure there is adequate ventilation Ensure that containers are firmly secured Ensure cylinder valve is closed and not leaking Ensure valve outlet cap nut or plug (where provided) is correctly fitted.
ADR	
Transport document description	: UN 1956 COMPRESSED GAS, N.O.S., 2.2
Class (ADR)	: 2 - Gases
Hazard labels (ADR)	: 2.2 - Non-flammable compressed gas
Transport by sea	
UN-No. (IMDG)	: 1956
Proper Shipping Name (IMDG)	: COMPRESSED GAS, N.O.S.
Class (IMDG)	: 2.2 - Non-flammable, non-toxic gases
Air transport	
UN-No.(IATA)	: 1956
Proper Shipping Name (IATA)	: COMPRESSED GAS, N.O.S.
Class (IATA)	: 2
SECTION 15: Regulatory inform	nation
15.1. US Federal regulations	
Nitrogen (7727-37-9)	

Nitrogen (7727-37-9)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
Nitrogen dioxide (10102-44-0)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on the United States SARA Section 302			
SARA Section 302 Threshold Planning Quantity (TPQ)	100		

15.2. International regulations

CANADA

Nitrogen (7727-37-9)		
Listed on the Canadian DSL (Domestic Sustances List)		
WHMIS Classification	Class A - Compressed Gas	
Nitrogen dioxide (10102-44-0)		
Listed on the Canadian DSL (Domestic Sustances List)		
WHMIS Classification	Class A - Compressed Gas Class C - Oxidizing Material Class D Division 1 Subdivision A - Very toxic material causing immediate and serious toxic effects Class D Division 2 Subdivision B - Toxic material causing other toxic effects Class E - Corrosive Material	

EU-Regulations

Nitrogen (7727-37-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Nitrogen dioxide (10102-44-0)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Classification according to Regulation (EC) No. 1272/2008 [CLP] Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD] National regulations 15.2.2. Nitrogen (7727-37-9) Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Nitrogen dioxide (10102-44-0) Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

- Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
- Listed on the Canadian IDL (Ingredient Disclosure List)

15.3. US State regulations

Nitrogen (7727-37-9)

U.S. - Massachusetts - Right To Know List

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Nitrogen dioxide (10102-44-0)

U.S. - Massachusetts - Right To Know List

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Indication of changes

: Revised safety data sheet in accordance with OSHA final rule on GHS implementation promulgated March 26, 2012.

Other information

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product.

Full text of H-phrases:

Acute Tox. 1 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 1
Compressed gas	Gases under pressure Compressed gas
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Liquefied gas	Gases under pressure Liquefied gas
Ox. Gas 1	Oxidizing gases Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
STOT SE 2	Specific target organ toxicity (single exposure) Category 2
H270	May cause or intensify fire; oxidizer
H280	Contains gas under pressure; may explode if heated
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H330	Fatal if inhaled
H371	May cause damage to organs

SDS US (GHS HazCom 2012)

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this gas mixture. To the best of Calgaz's knowledge, the information contained herein is reliable and accurate as of this date; however, accruacy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this gas mixture is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.