

SDS027

SAFETY DATA SHEET

Identification

LABEL IDENTIFIER:	Silicone Lubricant
PRODUCT IDENTIFIER:	P/N 494992 Silicone Lubricant, ½ Ounce P/N 603342 Silicone Lubricant
COMPANY IDENTIFICATION:	MSA Safety Incorporated 1000 Cranberry Woods Drive Cranberry Township, PA 16066 CUSTOMER SERVICE: 1-800-MSA-2222 (8:00 a.m. – 5:00 p.m., USA local time) EMERGENCY: 1-800-255-3924 (CHEM-TEL, INC.)

Supplier Information

A Safety Data Sheet as furnished by the Dow Corning Corporation for Dow Corning(R) 510 Fluid, 100 CST is attached (9 Pages).

Lord Chemical Corporation SDS REVISION DATE: 03/27/2015

Other Information

WARNING: This is a hazardous chemical product. By following the directions and warnings provided with this product, the hazards associated with the use of this product can be greatly reduced but never entirely eliminated. MSA Safety makes no warranties, expressed or implied, with respect to this product and EXPRESSLY DISCLAIMS THE WARRANTY OF MERCHANTABILITY AND ANY WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE. Users assume all risks in handling, using or storing this product.

DOW CORNING(R) 510 FLUID, 100 CST.

Versio 1.1	on Revision Date: 03/27/2015		DS Number: 02906-00002	Date of last issue: 01/13/2015 Date of first issue: 01/13/2015
SECT	ION 1. IDENTIFICATION			
Р	roduct name	:	DOW CORNING	(R) 510 FLUID, 100 CST.
Р	Product code	: 000000000001003		03569
N	lanufacturer or supplier's	deta	ils	
С	company name of supplier	:	Dow Corning Co	rporation
A	ddress	:	South Saginaw F Midland Michiga	
Т	elephone	: (989) 496-6000		
E	mergency telephone	:	: 24 Hour Emergency Telephone : (989) 496-5900 CHEMTREC : (800) 424-9300	
R	Recommended use of the chemical and restrictions on use			

Recommended use	:	Intermediate
		Lubricants and lubricant additives

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS Label element

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	: Substance
Substance name	: Dimethyl, phenylmethyl siloxane, trimethyl-terminated
CAS-No.	: 63148-52-7
Chemical nature	: Silicone

Hazardous ingredients

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

If inhaled

: If inhaled, remove to fresh air. Get medical attention if symptoms occur.

DOW CORNING(R) 510 FLUID, 100 CST.

Version 1. 1	Revision Date: 03/27/2015		SDS Number: 02906-00002	Date of last issue: 01/13/2015 Date of first issue: 01/13/2015
In cas	se of skin contact	:		and soap as a precaution. ntion if symptoms occur.
In cas	se of eye contact	:	•	water as a precaution. ntion if irritation develops and persists.
lf swa	llowed	:	Get medical atte	NOT induce vomiting. ntion if symptoms occur. roughly with water.
Most important symptoms and effects, both acute and delayed		:	None known.	
Prote	ction of first-aiders	:	No special preca	autions are necessary for first aid responders.
Notes	s to physician	:	Treat symptoma	tically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media		Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	-	Carbon oxides Silicon oxides Formaldehyde
Specific extinguishing meth- ods		Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters		Wear self-contained breathing apparatus for firefighting if nec- essary. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec-	:	Follow safe handling advice and personal protective equip-
tive equipment and emer-		ment recommendations.
gency procedures		

DOW CORNING(R) 510 FLUID, 100 CST.

Version 1.1	Revision Date: 03/27/2015	MSDS Number: 1102906-00002	Date of last issue: 01/13/2015 Date of first issue: 01/13/2015
Envir	onmental precautions	Prevent further le Prevent spreadir barriers). Retain and dispo	ne environment must be avoided. eakage or spillage if safe to do so. ng over a wide area (e.g. by containment or oil ose of contaminated wash water. should be advised if significant spillages ned.
Methods and materials for containment and cleaning up		For large spills, p ment to keep ma pumped, store re Clean up remain bent. Local or national posal of this mat employed in the mine which regu Sections 13 and	rt absorbent material. provide diking or other appropriate contain- iterial from spreading. If diked material can be ecovered material in appropriate container. ing materials from spill with suitable absor- regulations may apply to releases and dis- erial, as well as those materials and items cleanup of releases. You will need to deter- lations are applicable. 15 of this SDS provide information regarding ational requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	ee Engineering measures under EXPOSUI ONTROLS/PERSONAL PROTECTION se	
Local/Total ventilation	se only with adequate ventilation.	
Advice on safe handling	andle in accordance with good industrial hy actice. ake care to prevent spills, waste and minim nvironment.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Conditions for safe storage	eep in properly labeled containers. tore in accordance with the particular nation	nal regulations.
Materials to avoid	o not store with the following product types trong oxidizing agents	:

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures	 Processing may form hazardous compounds (see section 10). Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection	: No personal respiratory protective equipment normally
	required.

DOW CORNING(R) 510 FLUID, 100 CST.

Version 1.1	Revision Date: 03/27/2015	MSDS Number: 1102906-00002	Date of last issue: 01/13/2015 Date of first issue: 01/13/2015
	protection marks	: Wash hands	before breaks and at the end of workday.
Eye protection		: Wear the follo Safety glasse	owing personal protective equipment: es
Skin a	and body protection	: Skin should b	e washed after contact.
Hygiene measures		located close When using of Wash contam These precau elevated temp quire added p For further inf ganic oils in of the guidance materials in of developed by	ye flushing systems and safety showers are to the working place. do not eat, drink or smoke. hinated clothing before re-use. utions are for room temperature handling. Use at perature or aerosol/spray applications may re- brecautions. formation regarding the use of silicones / or- consumer aerosol applications, please refer to document regarding the use of these type of onsumer aerosol applications that has been the silicone industry (www.SEHSC.com) or ow Corning customer service group.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color		colorless
Odor	:	none
Odor Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	> 65 °C
Tange		
Flash point	:	> 101.1 °C Method: closed cup
C .	-	· · · · · ·
Flash point	-	Method: closed cup
Flash point Evaporation rate	:	Method: closed cup No data available
Flash point Evaporation rate Flammability (solid, gas)	:	Method: closed cup No data available Not applicable

DOW CORNING(R) 510 FLUID, 100 CST.

Versie 1.1	on	Revision Date: 03/27/2015		DS Number: 02906-00002	Date of last issue: 01/13/2015 Date of first issue: 01/13/2015
F	Relativ	e vapor density	:	No data available	9
F	Relativ	e density	:	0.988	
S		ity(ies) er solubility	:	No data available	9
-	Partitio octano	n coefficient: n- I/water	:	No data available	9
ļ	Autoigr	nition temperature	:	No data available	9
[Decom	position temperature	:	No data available	9
١	Viscosi Visc	ty osity, kinematic	:	100 cSt	
E	Explosi	ive properties	:	Not explosive	
(Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.
Γ	Molecu	lar weight	:	No data available	9

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reac- tions	 Use at elevated temperatures may form highly hazardous compounds. Can react with strong oxidizing agents. Hazardous decomposition products will be formed at elevated temperatures.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition proc Thermal decomposition	

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Inhalation Skin contact Ingestion Eye contact

DOW CORNING(R) 510 FLUID, 100 CST.

Version 1.1	Revision Date: 03/27/2015	MSDS Number: 1102906-00002	Date of last issue: 01/13/2015 Date of first issue: 01/13/2015			
	t e toxicity classified based on avail	lable information.				
-	corrosion/irritation	lable information.				
	ous eye damage/eye ir classified based on avail					
Skin	Respiratory or skin sensitization Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.					
	n cell mutagenicity classified based on avail	lable information.				
	:inogenicity classified based on avail C	No ingredient of th	is product present at levels greater than or entified as probable, possible or confirmed by IARC.			
OSł	IA		is product present at levels greater than or entified as a carcinogen or potential carcino-			
NTF			is product present at levels greater than or entified as a known or anticipated carcinogen			
-	roductive toxicity classified based on avail	lable information.				
	STOT-single exposure Not classified based on available information.					

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity No data available Persistence and degradability No data available Bioaccumulative potential No data available Mobility in soil No data available



DOW CORNING(R) 510 FLUID, 100 CST.

Versio 1.1	on Revision Date: 03/27/2015		SDS Number: 02906-00002	Date of last issue: 01/13/2015 Date of first issue: 01/13/2015	
	Other adverse effects No data available				
SECT	ION 13. DISPOSAL CONSI	DER	ATIONS		
R R W	Disposal methods Resource Conservation and Recovery Act (RCRA) Vaste Code Vaste from residues	:	it is classified as a D018	is made to discard this material as supplied, a RCRA hazardous waste. ordance with local regulations.	
С	Contaminated packaging	:	Dispose of as unit Empty containers dling site for recy	should be taken to an approved waste han-	

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Ingredients	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Benzene	71-43-2	10	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards

DOW CORNING(R) 510 FLUID, 100 CST.

/ersion 1. 1	Revision Date: 03/27/2015	-	SDS Number: 02906-00002		ast issue: 01/13/20 ⁻ first issue: 01/13/20 ⁻		
SARA	x 302	:	No chemicals in t requirements of S		al are subject to the III, Section 302.	reporting	
SARA	313	:	known CAS num	bers that e	ain any chemical co exceed the threshold by SARA Title III, S	d (De Minimis)	
US St	ate Regulations						
Penns	sylvania Right To Kno	w					
	Dimethyl, ph terminated	nenyl	methyl siloxane, tr	imethyl-	63148-52-7	90 - 100 %	
New .	Jersey Right To Know	1					
	Dimethyl, ph terminated	nenyl	methyl siloxane, tr	imethyl-	63148-52-7	90 - 100 %	
Califo	ornia Prop 65		WARNING! This State of Californi		ontains a chemical k	known in the	
	Benzene		71-43-2 WARNING: This product contains a chemical known in the State of California to cause birth defects or other reproductive				
	Benzene		harm.		71-43-2		
The ir	ngredients of this pro	duct	are reported in th	ne followi	na inventories:		
NZIOC		:	All ingredients lis		-		
REAC	Н	:	All ingredients (p	re-)registe	red or exempt.		
TSCA		:			this material are inc e TSCA Inventory o		
PICCS	6	:	All ingredients lis	ted or exe	mpt.		
KECI		:	All ingredients lis	ted, exem	pt or notified.		
ENCS	S/ISHL	:	All components a inventory listing.	re listed o	n ENCS/ISHL or ex	empted from	
IECS	C	:	All ingredients lis	ted or exe	mpt.		
AICS		:	All ingredients lis	ted or exe	mpt.		
DSL		:		and are o	this product comply n or exempt from lis ances List (DSL).		

Inventories




DOW CORNING(R) 510 FLUID, 100 CST.

Version	Revision Date:	MSDS Number:	Date of last issue: 01/13/2015
1.1	03/27/2015	1102906-00002	Date of first issue: 01/13/2015

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information



Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date	:	03/27/2015

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8